

## Specifications

# SMART Board® 8065i-G5-SMP interactive flat panel

Model SBID8065i-G5-SMP

## Overview

The SMART Board® 8065i-G5-SMP interactive flat panel features SMART's proprietary DViT® (Digital Vision Touch) technology.

The 4K ultra-high-definition resolution display provides optimal image clarity and viewing from any angle. With the new Pen iQ feature, you can assign different ink appearances to either pen and write or draw over any application in digital ink.


With Object Awareness, you can perform mouse functions with your finger, write in digital ink with the pen, and erase with your palm or eraser—all without switching tools or modes. You can also use an array of gestures in applications. Two users can write or draw at the same time.

See [smarttech.com](http://smarttech.com) for more information on this product.



## Dimensions and weights\*

### Dimensions



### Weight

137 lb. (62.2 kg)

### Shipping dimensions (including pallet)

69 1/4" W × 49 5/8" H × 11 7/8" D  
(175.8 cm × 126.1 cm × 30.3 cm)

### Shipping weight

181 lb. (82.3 kg)

\*All dimensions ± 1/8" (0.3 cm). All weights ± 2 lb. (0.9 kg).

## Hardware

### Display

Aspect ratio	16:9
Optimal resolution	3840 × 2160 at 30 Hz
Horizontal frequency	244–280 kHz (analog and digital)
Vertical frequency	24–120 Hz
Contrast ratio (typical)	1400:1
Brightness (typical)	280–360 cd/m <sup>2</sup>
Pixel pitch	0.372 mm

**Audio** Two 10 W integrated side-firing speakers

**Noise level** 35 dBA

**Included cables and hardware** 8' (2.4 m) country-specific power cable  
16' 5" (5 m) USB cable  
20' 8" (6.3 m) HDMI® cable  
I/O extension module  
Pen (×2)



**Mounting holes** For a standard VESA® 400 mm × 400 mm mounting plate  
13 3/4" (34.9 cm) from the bottom of the interactive flat panel

**Mounting bracket depth** Minimum depth of 1 5/8" (4.2 cm) for all components on the back of the interactive flat panel to clear the wall

## Connectors

<b>Side</b>	Side connector panel:	I/O extension module:
	USB 2.0 Type-B	USB 2.0 Type-B
	HDMI 1.4 in (3840 × 2160)	HDMI 1.4 in (1920 × 1080)
	Stereo 3.5 mm out	
	RS-232 in	
<b>Bottom</b>	USB 2.0 Type-A	
<b>Back</b>	AC power inlet	

## Installation requirements

**Interactive flat panel** See the *SMART Board 8000i-G5-SMP series interactive flat panels administrator's guide* ([smarttech.com/kb/170814](http://smarttech.com/kb/170814))

**Computer** See [smarttech.com/SMARTMeetingProReleaseNotes](http://smarttech.com/SMARTMeetingProReleaseNotes)

## Storage and operating requirements

<b>Power requirements</b>	100V to 240V AC, 50 Hz to 60 Hz
<b>Power consumption at 77°F (25°C)</b>	
Standby mode	38 W
Normal operating	175 W
Maximum operating	190 W
<b>Operating temperature</b>	41–95°F (5–35°C)
<b>Storage temperature</b>	-4–140°F (-20–60°C)
<b>Humidity</b>	5–80% relative humidity, non-condensing

## Certification and compliance

<b>Regulatory certification</b>	UL (U.S./Canada), FCC, IC, CE Mark, RCM Mark, Mexico, BIS
<b>Environmental compliance</b>	
European Union	RoHS, Packaging, WEEE and REACH
U.S.	Packaging and Conflict Minerals

## Purchasing information

<b>Order number</b>	
SBID8065i-G5-SMP	SMART Board 8065i-G5-SMP interactive flat panel, including a SMART Meeting Pro® software license key
<b>Optional accessories</b>	See <a href="http://smarttech.com/businessaccessories">smarttech.com/businessaccessories</a>
<b>Warranty</b>	Two-year limited warranty

[smarttech.com/support](http://smarttech.com/support)

[smarttech.com/support/entsupport](http://smarttech.com/support/entsupport)

© 2015 SMART Technologies ULC. All rights reserved. SMART Board, DVIT, SMART Meeting Pro, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. "HDMI" and all associated logos are trademarks of HDMI Licensing, LLC. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof covered by one or more of the following U.S. patents. [www.smarttech.com/patents](http://www.smarttech.com/patents). Contents are subject to change without notice. 01/2015.